East 7/6/04

L Number/	Hits	Search Text	DB	Time stamp
-	10	kawada.in. and tadano.in.	USPAT;	2004/07/04 14:59
,			US-PGPUB;	200 110110111100
a d			EPO; JPO;	
			DERWENT	
-	4	(("5088704") or ("5064176") or ("5040775") or ("5024461")).PN.	USPAT;	2003/07/28 05:38
			US-PGPUB	12000,01720 00.00
-	11		USPAT;	2003/07/28 05:40
		("3809139") or ("3736969") or ("2722259") or ("2649884") or	US-PGPUB	2000,01720 00.10
		("2138409") or ("1759339") or ("1705463")),PN.		
-	15		USPAT	2003/07/28 06:13
		US-5024461-\$ or US-5263694-\$ or US-4425065-\$ or		2000/01/20 00:10
		US-3878598-\$ or US-3845860-\$ or US-3809139-\$ or		
		US-3736969-\$ or US-2722259-\$ or US-2649884-\$ or		
		US-2138409-\$ or US-1759339-\$ or US-1705463-\$).did.		
-	0	("0036198").PN.	JPO	2003/07/28 06:15
-	0	(b60g015/06.ipc. or f16f009/54.ipc.).CCLS.	JPO	2003/07/28 06:16
-	788	b60g015/06.ipc. or f16f009/54.ipc.	JPO	2003/12/16 08:46
-	274	280/124.155.ccls. or 280/124.147.ccls.	USPAT;	2003/12/16 08:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	106	(280/124.155.ccls. or 280/124.147.ccls.) and nut	USPAT;	2003/12/19 07:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	168		USPAT;	2003/12/16 08:23
		or 280/124.147.ccls.) and nut)	US-PGPUB;	
			EPO; JPO;	
	4	C440700 LIDDA	DERWENT	
-	1 11	6412798.URPN.	USPAT	2003/12/16 08:26
-	11	("4274655" "RE31184" "4462608" "4497523" "4531759"	USPAT	2003/12/16 08:26
		"4618127" "4721325" "5064176" "5211380" "5308104" "5454585").PN.		
_	2717	ikoma.in.		
i	2111	ikoma.m.	USPAT;	2003/12/16 08:34
			US-PGPUB;	
			EPO; JPO;	1
-	49	ikoma.in. and kayaba.asn.	DERWENT	2002/40/40 00 05
	.0	Mondain. and Rayaba.asn.	USPAT;	2003/12/16 08:35
			US-PGPUB;	
			EPO; JPO; DERWENT	
-	6340	yoshiyuki.in.	USPAT;	2002/42/46 00:27
		•	US-PGPUB	2003/12/16 08:37
-	17	yoshiyuki.in. and kodama.in.	USPAT;	2003/12/16 08:37
			US-PGPUB	2000/12/10 00.3/
-	18	(irie.in. or yoshiyuki.in.) and (yosie.in. or kodama.in.)	USPAT:	2003/12/16 08:39
			US-PGPUB	2500/12/10 00.59
-	141	(irie.in. or yoshiyuki.in.) and (hayashi.in. or tsuneo.in.)	USPAT;	2003/12/16 08:40
	ŀ	·	US-PGPUB	
-	4	((irie.in. or yoshiyuki.in.) and (hayashi.in. or tsuneo.in.)) and	USPAT:	2003/12/16 08:40
ŀ	1	(akio.in. or morioka.in.)	US-PGPUB	
-	57	188/321.11.ccls. and nut	USPAT;	2003/12/16 08:54
			US-PGPUB;	
ŀ			EPO; JPO;	
	,	007/000 074 000 074	DERWENT	
-	158	267/220-221,292-294.ccls. and nut same (rubber or elastom\$6)	USPAT;	2003/12/16 08:55
			US-PGPUB;	
			EPO; JPO;	
_	200	267/220 224 202 204	DERWENT	
-	333	267/220-221,292-294.ccls. and nut	USPAT;	2003/12/16 08:57
			US-PGPUB;	
•			EPO; JPO;	
_	127	(1067/144 A) or (067/444 5)) 001 0	DERWENT	
-	137	((267/141.4) or (267/141.5)).CCLS.	USPAT; US-PGPUB	2003/12/16 08:56
			LUO DODUD	

- "	27	267/220-221,292-294.ccls. and nut same groove\$4	USPAT;	2003/12/16 08:58
			US-PGPUB;	1200.72,7000.00
			EPO; JPO;	
_ 4	0	267/220-221,292-294.ccls. and nut same captive	DERWENT	1
		2017220-22 1,292-294.ccis. and nut same captive	USPAT;	2003/12/16 08:59
			US-PGPUB; EPO; JPO;	
			DERWENT	
-	2	267/220-221,292-294.ccls. and nut same caulk\$4	USPAT;	2003/12/19 07:03
			US-PGPUB;	12000,12,1001.00
			EPO; JPO;	
-	132	267/220 221 202 204 colo and not cons () .	DERWENT	
	132	267/220-221,292-294.ccls. and nut same (plate or piece)	USPAT;	2003/12/16 09:29
			US-PGPUB;	
			EPO; JPO; DERWENT	
-	233	saenz.in.	USPAT:	2003/12/16 09:29
			US-PGPUB;	2000/12/10 03.23
			EPO; JPO;	
_	3	saenz.in, and cano.in.	DERWENT	
	1	Saeriz.iri. and cano.iri.	USPAT;	2003/12/16 09:29
			US-PGPUB; EPO; JPO;	
			DERWENT	
-	1	2003-555702.NRAN.	DERWENT	2003/12/16 09:30
-	346	(267/221).CCLS.	USPAT;	2003/12/16 10:02
	12	kowada in and to tour to	US-PGPUB	
	12	kawada.in. and tadano.in.	USPAT;	2003/12/18 13:43
			US-PGPUB;	
			EPO; JPO; DERWENT	
-	283	nut near4 caulk\$4	USPAT;	2003/12/19 07:03
			US-PGPUB;	2000/12/10 01:00
			EPO; JPO;	
_	827	b60g015/06.ipc. or f16f009/54.ipc.	DERWENT	
-	60	(b60g015/06.ipc. or f16f009/54.ipc.) and nut	JPO JPO	2003/12/19 07:22
-	103	(280/124.155.ccls. or 280/124.147.ccls.) and nut	USPAT;	2003/12/19 07:22 2003/12/19 07:25
			US-PGPUB	2003/12/19 07.23
-	13	(280/124.155.ccls. or 280/124.147.ccls.) and nut same weld\$4	USPAT;	2003/12/19 07:40
<u>-</u>	3	(280/124 155 colo oz 200/104 147 l-)	US-PGPUB	
		(280/124.155.ccls. or 280/124.147.ccls.) and nut same (caulk\$5 or captive or encapsulat\$ or deform\$5)	USPAT;	2003/12/19 07:41
-	139	267/\$.ccls. and nut same (caulk\$5 or captive or encapsulat\$ or	US-PGPUB USPAT:	2003/12/19 07:41
		deform\$5)	US-PGPUB	2003/12/19 07.41
-	0	("transverse-mounted") adj engine same transmission same	USPAT;	2003/12/20 11:34
_	0	transmission adj mount same vibration adj damping	US-PGPUB	
	"	transverse adj mounted adj engine same transmission same transmission adj mount same vibration adj damping	USPAT;	2003/12/20 11:36
-	0	(transverse adj mounted adj engine) same vibration adj	US-PGPUB USPAT;	2003/12/20 11:35
		damp\$4	US-PGPUB	2003/12/20 11:35
-	1	(transverse adj mounted adj engine) same vibration same	USPAT;	2003/12/20 11:35
_	50	damp\$4	US-PGPUB	
	30	transverse adj mounted adj engine	USPAT;	2003/12/20 11:36
-	0	transvers\$5 adj mounted adj engine same transmission same	US-PGPUB	2002/42/20 44-50
		transmission adj mount same vibration adj damping	USPAT; US-PGPUB	2003/12/20 11:58
-	2	transvers\$5 adj mounted adj engine same mount same	USPAT;	2003/12/20 11:47
_	1	vibration adj damp\$4	US-PGPUB	
	'	("6530587").PN.	USPAT;	2003/12/20 11:47
-	0	6530587.URPN.	US-PGPUB	2002/40/22 ** **
-		("0191536" "1898721" "2471135" "3181641" "3197190"	USPAT USPAT	2003/12/20 11:47
		"3806151" "4313618" "4458918" "4779894" "4854606"	501 A1	2003/12/20 11:47
		"6189904").PN.		
_	1	6616159.pn.	USPAT;	2003/12/20 11:53
L	L		US-PGPUB	

	1000			
	4328	lawson.in. or deadrick.in.	USPAT;	2003/12/20 13:41
	İ		US-PGPUB;	
			EPO; JPO;	
_ •	2371	visteon.asn.	DERWENT	
	2011	, violotilidati.	USPAT;	2003/12/20 11:54
			US-PGPUB;	
			EPO; JPO; DERWENT	
-	22	(lawson.in. or deadrick.in.) and visteon.asn.	USPAT;	2002/42/20 40.00
		The state of the s	US-PGPUB:	2003/12/20 12:00
			EPO; JPO;	
			DERWENT	
-	25002	B29C044/12.ipc. or B29C045/14.ipc. F16F001/368.ipc.	USPAT:	2003/12/20 12:01
			US-PGPUB;	12.01
			EPO; JPO;	
			DERWENT;	
	54	(P200044/40 in a page 20 45/44)	IBM_TDB	
-	54	\"====== \"\"\"\"\"\"\"\"\"\"\"\"\"\"\"\		2003/12/20 11:59
	-	adj spring	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	11091	B29C039/10.ipc. or B60G011/08.ipc. or F16F001/18.ipc.	IBM_TDB	000044045
	- 00	======================================	USPAT;	2003/12/20 12:01
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	731	(B29C039/10.ipc. or B60G011/08.ipc. or F16F001/18.ipc.) and	USPAT:	2003/12/20 12:01
		leaf adj spring	US-PGPUB;	2003/12/20 12.01
			EPO; JPO;	
			DERWENT;	
	40	/ P0000001401	IBM_TDB	
-	43	(B29C039/10.ipc. or B60G011/08.ipc. or F16F001/18.ipc.) and	USPAT;	2003/12/20 12:07
		leaf adj spring same mold\$4	US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
-	1	2003-228100.NRAN.	IBM_TDB	000044040
-	40415	B29C039/10.ipc. B29C044/12.ipc. B29C045/14.ipc.	DERWENT	2003/12/20 12:06
		B29C070/42.ipc.	USPAT; US-PGPUB;	2003/12/20 12:08
		B29C070/44.ipc. B29K105:08.ipc. B29L031/30.ipc.	EPO; JPO;	
		B60G011/02.ipc. B60G011/08.ipc.	DERWENT;	
		F16F001/18.ipc. F16F001/368.ipc.	IBM_TDB	
-	988	(B29C039/10.ipc. B29C044/12.ipc. B29C045/14.ipc.	USPAT;	2003/12/20 12:08
		B29C070/42.ipc.	US-PGPUB;	
1		B29C070/44.ipc. B29K105:08.ipc. B29L031/30.ipc.	EPO; JPO;	
		B60G011/02.ipc. B60G011/08.ipc.	DERWENT;	
-	8	F16F001/18.ipc. F16F001/368.ipc.) and leaf adj spring (B29C039/10.ipc. B29C044/12.ipc. B29C045/14.ipc.	IBM_TDB	
]		B29C070/42.ipc. B29C044/12.ipc. B29C045/14.ipc.	USPAT;	2003/12/20 12:55
		B29C070/44.ipc. B29K105:08.ipc. B29L031/30.ipc.	US-PGPUB;	
	ŀ	B60G011/02.ipc. B60G011/08.ipc.	EPO; JPO; DERWENT;	
		F16F001/18.ipc. F16F001/368.ipc.) and leaf adi spring same	IBM_TDB	
		(Tiberglas or fibreglas or fiberglass) same resin\$5	פטו_ועויי	Ī
-	10	(US-6616159-\$ or US-6460838-\$ or US-6361032-\$ or	USPAT;	2003/12/20 12:54
		US-4969633-\$ or US-4786033-\$ or US-4659071-\$) did or	US-PGPUB;	2000/12/20 12.04
		(US-20030122293-\$ or US-20020153648-\$) did or	EPO	
		(GB-2375502-\$ or DE-10211582-\$ or JP-2003039453-\$).did.		
-	8	(B29C039/10.ipc, B29C044/12.ipc, B29C045/14.ipc,	USPAT;	2003/12/20 12:57
		B29C070/42.ipc.	US-PGPUB;	
	j	B29C070/44.ipc. B29K105:08.ipc. B29L031/30.ipc.	EPO; JPO;	
ĺ		B60G011/02.ipc. B60G011/08.ipc. F16F001/18.ipc. F16F001/368.ipc.) and leaf adj spring same	DERWENT;	
		(fiberglas or fibreglas or fiberglass or fibreglass) same resin\$5	IBM_TDB	
		same resin\$5	<u> </u>	

		11000001100101		
-	2	"20020153648"	USPAT;	2003/12/20 12:57
			US-PGPUB; EPO; JPO;	
			DERWENT;	
•			IBM_TDB	
-	213	transverse adj leaf adj spring	USPAT;	2003/12/20 13:42
İ			US-PGPUB;	
			EPO; JPO;	
_	64	(transverse adj leaf adj spring) and (method or process)	DERWENT	0000/40/00
		(transverse adjicar adjispring) and (metriod or process)	USPAT; US-PGPUB;	2003/12/20 13:42
			EPO; JPO;	
			DERWENT	
-	17	(transverse adj leaf adj spring) and (method.clm. or process.clm.)	USPAT;	2003/12/20 13:42
			US-PGPUB;	
			EPO; JPO;	
-	114	(method.clm. or process.clm.) adj5 (leaf.clm. adj2 spring.clm.)	DERWENT USPAT;	2002/12/20 14:20
		(value as a procession, as a pring.cim.)	US-PGPUB	2003/12/20 14:28
-	2	(method.clm. or process.clm.) adj5 (leaf.clm. adj2 spring.clm.)	USPAT:	2003/12/20 14:27
		and inflatable same bladder	US-PGPUB	
-	2	(method.clm. or process.clm.) adj5 (leaf.clm. adj2 spring.clm.)	USPAT;	2003/12/20 14:27
_	676	and bladder (method or process) adj5 (leaf adj2 spring)	US-PGPUB	
	0.0	(method of process) aujo (leaf aujz spring)	USPAT;	2003/12/20 14:28
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	676	(method or process) adj5 (leaf adj2 spring)	USPAT;	2003/12/20 14:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	676	(method or process) adj5 (leaf adj2 spring)	USPAT;	2003/12/20 14:45
		, , , (, , , , , , , , , , , , , , , ,	US-PGPUB:	2003/12/20 14.43
			EPO; JPO;	
			DERWENT;	
-	1	(method.clm. or process.clm.) adj5 (leaf.clm. adj2 spring.clm.)	IBM_TDB	
	•	same transverse.clm. adj leaf.clm.	USPAT; US-PGPUB	2003/12/20 14:29
-	114	(method.clm. or process.clm.) adj5 (leaf.clm. adj2 spring.clm.)	USPAT;	2003/12/20 14:30
		,	US-PGPUB	2003/12/20 14.30
-	80	(method or process) adj5 (leaf adj2 spring) same form	USPAT;	2003/12/20 14:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	9
_	60	(method or process) adj5 (leaf adj2 spring) same mold\$4	USPAT;	2003/12/20 14:40
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2000/12/20 14.40
	[]		EPO; JPO;	
			DERWENT;	
-	12	(US-6660114-\$ or US-6461455-\$ or US-6422540-\$ or	IBM_TDB	000011075
	'-	US-6361032-\$ or US-5043117-\$ or US-4894108-\$ or	USPAT; US-PGPUB	2003/12/20 14:41
		US-4747898-\$ or US-4707317-\$ or US-4659071-\$ or	00-1000	
		US-4420450-\$).did. or (US-20020096249-\$ or		
_	40	US-20020153689-\$).did.		
_	18	(method or process) adj5 (leaf adj2 spring) same mold\$4 same cur\$4	USPAT;	2003/12/20 14:45
		CulψT	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	10	(method or process) adj5 (leaf adj2 spring) same mold\$4 same	USPAT;	2003/12/20 14:48
,		cur\$4 same (fiber\$6 or fibre\$5)	US-PGPUB;	
			EPO; JPO;	
,	İ		DERWENT;	
	L		IBM_TDB	

- 5	27	The state of the s	USPAT;	2003/12/20 14:49
		fibre\$5) same resin\$6	US-PGPUB;	
			EPO; JPO;	
•			DERWENT;	
_	1	(method or process) adif (lost adia antina)	IBM_TDB	
	'	(method or process) adj5 (leaf adj2 spring) same (fiber\$6 or fibre\$5) same resin\$6 same (hollow or tub\$6)	USPAT;	2003/12/20 14:53
		There are resulted same (notion of (00\$0)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1	1992-142610.NRAN.	DERWENT	2002/12/20 14-50
-	343	(leaf adj2 spring) same (fiber\$6 or fibre\$5) same resin\$6	USPAT;	2003/12/20 14:52 2003/12/20 14:53
			US-PGPUB;	2003/12/20 14.33
			EPO; JPO;	
			DERWENT;	
	400	4 6 40 4	IBM_TDB	
-	139	(leaf adj2 spring) same (fibers! or fibres!) same resin\$6	USPAT;	2003/12/20 15:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3479	267/36.1-52.ccls. or 267/148-149.ccls.	IBM_TDB	
	57,9	207700.1-02.0013. 01 2077140-149.CCIS.	USPAT;	2003/12/20 14:56
-	124	(267/36.1-52.ccls. or 267/148-149.ccls.) and resin\$6 same fib\$5	US-PGPUB	2002/40/02 * * ==
		The second of Edit 140.0013.) and resimply same 110\$3	USPAT; US-PGPUB	2003/12/20 14:58
-	0	6460838.URPN.	USPAT	2003/12/20 14:57
-	7	("4530490" "4556204" "4565356" "4659071" "4696459"	USPAT	2003/12/20 14:57
		"4707317" "4969633").PN.	001 71	2003/12/20 14.37
-	8	(267/36.1-52.ccls. or 267/148-149.ccls.) and resin\$6 same fib\$5	USPAT;	2003/12/20 14:59
		same taper\$4	US-PGPUB	2000/12/20 14:00
-	11	resin\$6 same fib\$5 same taper\$4 same leaf adj2 spring	USPAT;	2003/12/20 15:00
	0.4	/	US-PGPUB	
-	64		USPAT;	2003/12/20 15:01
1_	73	spring) same (fibers! or fibres!) same resin\$6)	US-PGPUB	
	13	((leaf adj2 spring) same (fibers! or fibres!) same resin\$6) not (resin\$6 same fib\$5 same leaf adj2 spring)	USPAT;	2003/12/20 15:11
		(resilipo same libpo same lear adjz spring)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	130	resin\$6 same fib\$5 same leaf adj2 spring	USPAT;	2003/12/20 15:02
		,	US-PGPUB	2003/12/20 15:02
-	11	(leaf adj2 spring) same (fibers! or fibres!) same resin\$6 same	USPAT;	2003/12/20 15:05
		(hollow or tub\$6)	US-PGPUB;	2000/12/20 13:03
	[]		EPO; JPO;	
			DERWENT;	
	44	EDATA in and	IBM_TDB	
1	41	EBATA.in. and SAITO.in.	USPAT;	2003/12/20 15:05
		SALLO.III.	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
-	14	EBATA.in. and	IBM_TDB	2002/40/22 45 25
		SAITO.in. and leaf adj spring	USPAT; US-PGPUB;	2003/12/20 15:06
		טיייקד נייי ייי	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	2	EBATA.in. and	USPAT;	2003/12/20 15:06
		SAITO.in. and leaf adj spring same hollow	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	(I) (Institution and Institution IBM_TDB		
i -	'	((leaf adj2 spring) same (fibers! or fibres!) same resin\$6) not	USPAT;	2003/12/20 15:11
	l	(resin\$6 same fib\$5 same leaf adj2 spring) and mold\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
·			IBM_TDB	1

- 6	32	(leaf adj2 spring) same (fibers! or fibres!) same resin\$6 same mold\$4	USPAT;	2003/12/20 15:14
		mola\$4	US-PGPUB;	
			EPO; JPO;	
•			DERWENT;	
-	9	(leaf adj2 spring) same (fibers! or fibres!) same resin\$6 same	IBM_TDB	0000440400
		mold\$4 and (longitud\$6 or elongated) near4 (fibers! or fibres!)	USPAT; US-PGPUB;	2003/12/20 15:23
		(***Starte of classification floors; of libres;)	EPO; JPO;	
			DERWENT:	
			IBM TDB	
-	25	(leaf adj2 spring) same (fibers! or fibres!) same resin\$6 same	USPAT;	2003/12/20 15:23
		(longitud\$6 or elongated) near4 (fibers! or fibres!)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	2000-273563.NRAN.	IBM_TDB	
-	i	1983-A1111K.NRAN.	DERWENT	2003/12/20 15:26
-	1	1982-83998E.NRAN.	DERWENT DERWENT	2003/12/20 15:27
-	10		USPAT; JPO	2003/12/20 15:27
		US-4969633-\$ or US-4565356-\$ or US-4530490-\$ or	031 A1, 3F0	2003/12/20 15:32
		US-6189904-\$ or US-4546958-\$).did. or (JP-55086935-\$ or		
		JP-60116933-\$).did.		
-	1	6530587.pn.	USPAT;	2003/12/23 06:20
_	11	("0101526" 1"1000704" 110474405" 11040404 11040	US-PGPUB	
-	''	("0191536" "1898721" "2471135" "3181641" "3197190"	USPAT	2003/12/23 06:19
		"3806151" "4313618" "4458918" "4779894" "4854606" "6189904").PN.		
_	203	composite near2 leaf adj spring	LICDAT	0000/40/00 00 00
		Tompoone Hourz four adj spring	USPAT; US-PGPUB;	2003/12/23 06:37
			EPO; JPO;	
			DERWENT	
•	49232	leaf adj spring	USPAT:	2003/12/23 06:23
	10		US-PGPUB	
-	16	leaf adj spring and 267/154.ccls.	USPAT;	2003/12/23 06:24
-	46	loof adjusting and 267/272 200	US-PGPUB	
	70	leaf adj spring and 267/273-282.ccls.	USPAT;	2003/12/23 06:25
-	0	leaf adj spring and 4611792.pn.	US-PGPUB	0000/40/00 00 00
		and to the oz.ph.	USPAT; US-PGPUB	2003/12/23 06:27
-	1	4611792.pn.	USPAT;	2003/12/23 06:26
	_		US-PGPUB	2000/12/20 00.20
-	0	leaf adj spring and 5619903.pn.	USPAT;	2003/12/23 06:27
_	4	F610002	US-PGPUB	
-	1	5619903.pn.	USPAT;	2003/12/23 06:27
_	12	("2602766" "4169393" "4519290" "4719837" "4777859"	US-PGPUB	
		"4847063" "4902297" "4983240" "5016516" "5070914"	USPAT	2003/12/23 06:28
		"5101556" "5324563").PN.		
-	6	(US-6189904-\$ or US-4854606-\$ or US-4779894-\$ or	USPAT	2003/12/23 06:29
		US-4313618-\$ or US-5324563-\$ or US-4519290-\$).did.	001711	2003/12/23 00.29
-	3	(US-6189904-\$ or US-4854606-\$ or US-4779894-\$ or	USPAT	2003/12/23 06:30
		US-4313618-\$ or US-5324563-\$ or US-4519290-\$).did. and leaf		
_	0	adj spring (4510200 pp. oz 5324502 pp.) - 11. (. !!		
_	2	(4519290.pn. or 5324563.pn.) and leaf adj spring (4519290.pn. or 5324563.pn.)	USPAT	2003/12/23 06:30
_	14	composite near2 leaf adj spring same (hollow or tube or tubular	USPAT	2003/12/23 06:30
		or cylindrical)	USPAT;	2003/12/23 06:51
		• • • • • • • • • • • • • • • • • • • •	US-PGPUB; EPO; JPO;	
			DERWENT	
-	1505	leaf adj spring near5 (hollow or tube or tubular)	USPAT:	2003/12/23 06:54
		,	US-PGPUB;	2000/12/20 00:04
			EPO; JPO;	
_	00	leaf adian da an en an	DERWENT	
-	26	leaf adj spring near5 (hollow or tube or tubular) same resin\$6	USPAT;	2003/12/23 07:15
			US-PGPUB;	
			EPO; JPO;	
	'		DERWENT	1

	2		USPAT;	2003/12/23 06:57
-		HAMANO.in.	US-PGPUB:	2000/12/20 00:01
			EPO; JPO;	
_ •	2	last adi anima a F A alla	DERWENT	
		leaf adj spring near5 (hollow or tube or tubular) same braid\$4	USPAT;	2003/12/23 07:16
			US-PGPUB;	
			EPO; JPO;	
-	143	leaf adj spring and 267/148-149.ccls.	DERWENT USPAT;	2002/40/02 07 40
		1	US-PGPUB:	2003/12/23 07:16
			EPO; JPO;	
			DERWENT	
-	15		USPAT;	2003/12/23 07:21
		or empty) and 267/148-149.ccls.	US-PGPUB;	
			EPO; JPO;	
_	8332	loaf adi enring, some (hellow en tube and tube and tube	DERWENT	
	0332	leaf adj spring same (hollow or tube or tubular or cavity or void or empty)	USPAT;	2003/12/23 07:21
		or empty)	US-PGPUB;	
			EPO; JPO; DERWENT	
-	38	(leaf adj spring same resin\$5 same (braid\$5 or fibe\$5r or fibre\$5	USPAT;	2003/12/22 07:24
		or FRP)) and (leaf adj spring same (hollow or tube or tubular or	US-PGPUB;	2003/12/23 07:24
	İ	cavity or void or empty))	EPO; JPO;	
	007		DERWENT	
-	307	leaf adj spring same resin\$5 same (braid\$5 or fibe\$5r or fibre\$5	USPAT;	2003/12/23 07:31
		or FRP)	US-PGPUB;	
			EPO; JPO;	
-	308	leaf adj spring same resin\$5 same (braid\$5 or fibe\$5r or fibre\$5	DERWENT	
		or FRP)	USPAT;	2003/12/23 08:26
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	305	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	USPAT;	2003/12/23 07:52
		, and the second	US-PGPUB;	
l			EPO; JPO;	
1_	194	leaf adjusting some socials come (Shade and a	DERWENT	
	104	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	EPO; JPO;	2003/12/23 07:35
-	11	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	DERWENT	0000/40/00 07 05
		same (hollow or caviry or void or tube or tubular)	EPO; JPO; DERWENT	2003/12/23 07:35
-	14	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	EPO; JPO;	2003/12/23 07:36
		same (hollow or cavity or void or tube or tubular)	DERWENT	2003/12/23 07.30
-	305	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	USPAT;	2003/12/23 07:53
		•	US-PGPUB;	
			EPO; JPO;	
_	194	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	DERWENT	
	'54	and obtaine require required square (lineable of tibleabo of FKL)	EPO; JPO;	2003/12/23 07:53
-	19	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	DERWENT EPO; JPO;	2002/42/22 00:00
		same mold\$4	DERWENT	2003/12/23 08:02
-	194	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP)	EPO; JPO;	2003/12/23 08:14
		•	DERWENT	
-	1 1	1988-075143.NRAN.	DERWENT	2003/12/23 08:09
_	1 55 I	1984-101183.NRAN.	DERWENT	2003/12/23 08:11
•	55	leaf adj spring same resin\$5 same (fibe\$5r or fibre\$5 or FRP) and spring same (hollow or void or empty or cavity or chamber or	USPAT;	2003/12/23 08:15
		tubular)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT; IBM TDB	1
-	111	leaf adj spring same resin\$5 same (braid\$5 or fibe\$5r or fibre\$5	USPAT;	2003/12/23 08:28
		or FRP)	US-PGPUB	2000/12/20 00.20
•	70	leaf adj spring same resin\$5 same (braid\$5 or fibe\$5r or fibre\$5	USOCR	2003/12/23 08:28
_		or FRP)		
-	1	("6712370").PN.	USPAT;	2004/07/04 15:08
_	0	6712370.URPN.	US-PGPUB	
		OF IZOTO, UITEN,	USPAT	2004/07/04 14:59

"3/36969" "3809139" "3845860" "3878598" "4425065"		45 (14705 (00) 1475 (00) 1		
"3/36969" "3809139" "3845860" "3878598" "4425065"	- <u> </u>	15 ("1705463" "1759339" "2138409" "2649884" "2722259"	USPAT	2004/07/04 14:59
RECO.4404B REC.4077FB REC.4077FB	-	"3736969" "3809139" "3845860" "3878598" "4425065"		
5024461" "5040775" "5064176" "5088704" "5263694") PN	,	"5024461" "5040775" "5064176" "5088704" "5263694").PN.		

-		("6712370"	USPAT;	2004/07/06 10:44
•		"4424697"	US-PGPUB	2004/01/00 10:44
۶۰	İ	"4604797"	00.00	
	ļ	"5257794"	1	
•		"4828440"		
	ļ	"5294189"	ļ	
1 1		"5503465"		
		"5516073"		
		"5497301"		
		"4836466"		
		"5005887"		
		"5193262"		
		"5427287"		
<u> </u>		"5562411"		
		"4274674"		
		"5213435"		
		"5449195"		1
		"6126493"		
		"6209896"		
		"6209896"		
	} '	"5788262"		
		"6161822"		1
		"4510502"		
		"4599785"		
		"4605333"		
		"4612552"		
		"6254040"		
		"5779260"		
1		"4875816"		
		"5425520"		
		"6227749"		
		"5749616"		
·	1.	'5362035"		
		'5205374"		ĺ
		'5232209"		
		'5342029"		
		'5401080"		
		'5492417"		
	1	'5564531"		
	"	'5193884"		
		'5917163"		
	"	'4616845"		
	F	RE33179		
	"	5301977"		
		4263755"		
	11	4351536"		
		4423787"		1
		4596370"		
		4811310"		
		5638554").pn.		
		"5681135"	Ì	
	',	5887832"		
		5887375"		
		6193320"		
		5823571"	ļ	
		5967553"	1	
		6059252" 6059252"		
		4307837"	İ	
		4830418"		
		5692865"	1	
		5927782"		
		4766968"		
		4791535"		
		4906180"	1	
		4944104"		
		4967318"		ļ
	"2	4971285"		
Search History	7/6/04 124	\$8/15/9W Page 9		
Search History C:\APPS\east\wo	rkspaces!	18838958 wen		
O.VII 1 GIEGSLIWL	wohara?	5209650 ^{p.wsp}		
1	"5	5253967"		
				·

- 131 (280/124.155).CCLS. USPAT; US-PGPUB 2004/07/04 15:08

- 14		USPAT;	2004/07/06 10:45
•	"4424697"	US-PGPUB	~007/01/00 10.43
	"4604797"	0010100	
	"5257794"		
•	"4828440"		1
	"5294189"		
	"5503465"		[
	"5516073"		
	"5497301"		
1	"4836466"		
	"5005887"		
	"5193262"		
	"5427287"		
	"5562411"		
	"4274674"		ļ i
	"5213435"		
	"5449195"		
	"6126493"		
	"6209896"		
	"6209896"		
	"5788262"		
	"6161822"		
	"4510502"		
	"4599785"		
	"4605333"		
	"4612552"		
	"6254040"		
	"5779260"		
	"4875816"		{
	"5425520"		
	"6227749"		
	"5749616"		
1	"5362035"		
1	"5205374"		
	"5232209"		
	"5342029"		
	"5401080"		ĺ
1	"5492417"		
ļ	"5564531"		İ
	"5193884"		
	"5917163"		
	"4616845"		i
	RE33179		
	"5301977"		
	"4263755"		
	"4351536"		1
	"4423787"		İ
	"4596370"		
	"4811310"		
	"5638554").pn.		
	/"5004425"		
	("5681135"		
	"5887832"		
	"5887375"		
	"6193320"		
	"5823571"		
	"5967553"		
1	"6059252"	1	
	"6059252"		
	"4307837"		
	"4830418"		
	"5692865"		
	"5927782"		
	"4766968"	1	
	"4791535"	1	
	"4906180"	ŀ	
	"4944104"		
	"4967318"	1	
	"4971285"		
Course History 7/2/21	1140745001		
Search History 7/6/04	12.487.12.02M Page 11		
C:\APPS\east\workspac	es\10030778.wsp		
	"5209620"		
I	"5253967"]

-	0	US20030189278A1	LICDAT	0004/07/00 40 47
4		000000000000000000000000000000000000000	USPAT;	2004/07/06 10:45
- *	1	"20030189278"	US-PGPUB	0004/07/00
		20000100210	USPAT;	2004/07/06 10:45
_ •	0	"20030189278" and partial adj sphere	US-PGPUB	
		20030109276 and partial adj sphere	USPAT;	2004/07/06 10:46
		1000004000701	US-PGPUB	į į
-	•	"20030189278" and sphere	USPAT;	2004/07/06 10:46
		1100000 (000000)	US-PGPUB	
-	1	"20030189278" and sphere near4 part\$4	USPAT;	2004/07/06 11:05
			US-PGPUB	
-	1	"20030189278" and sphere	USPAT;	2004/07/06 11:05
			US-PGPUB	
-	1	"20030189278" and spher\$6 near5 part\$4	USPAT:	2004/07/06 11:17
			US-PGPUB	
-	0	"20030189278" and curvature	USPAT:	2004/07/06 11:17
			US-PGPUB	
-	0	"20030189278" and broken adj line	USPAT:	2004/07/06 11:18
			US-PGPUB	200-707700 11.10

Butler, Douglas

PLUS 604

From:

- PLUS

Sent:

Monday, May 03, 2004 11:39 AM

To:

Butler, Douglas

Subject:

PLUS Results for 10030778

Here are the PLUS search results for 10030778.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.

















$$10030778_LIST$$ PLUS Search Results for S/N 10030778, Searched May 03, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

6712370	5681135	5597176
4424697	5887832	5812095
4604797	5887375	6024192
5257794	6193320	6039342
4828440	5823571	6039520
5294189	5967553	6109650
5503465	6059252	6152406
5516073	6059252	5624011
5497301	4307837	4546021
4836466	4830418	5219176
5005887	5692865	4807331
5193262	5927782	4385858
5427287	4766968	4473257
5562411	4791535	4441693
4274674	4906180	4482167
5213435	4944104	4934856
5449195	4967318	5193837
6126493	4971285	5249845
6209896	4971502	5254187
6209896	4983085	5494335
5788262	5209620	5546704
6161822	5253967	5609004
4510502	5288094	5640750
4599785	5353567	5779487
4605333	5355576	5810532
4612552	5358269	5848743
6254040	5396915	5865583
5779260	5478041	6030044
4875816	5501482	6073952
5425520	5560630	6142525
6227749	5588661	6233792
5749616	5595378	6701572
5362035	5802793	4323262
5205374	5813640	5407310
5232209	5904458	5741032
5342029	5954467	4325449
5401080	6009777	4354612
5492417	6012886	5232035
5564531	6045174	6439335
5193884	6085856	4810021
5917163	6168126	6095593
4616845	6305873	4364591
RE33179	6715955	5316366
5301977	5975391	5857731
4263755	5291639	5190392
4351536	5791627	5375313
4423787	5590992	5769065
4596370	5692769	6061984
4811310	5707113	6244259
5638554	5558369	5673833

10030778_EAST

(6712370 4424697 4604797 5257794 4828440 5294189 5503465 5516073 5497301 4836466 5005887 5193262 5427287 5562411 4274674 5213435 5449195 6126493 6209896 5788262 6161822 4510502 4599785 4605333 4612552 6254040 5779260 4875816 5425520 6227749 5749616 5362035 5205374 5232209 5342029 5401080 5492417 5564531
5401080

Page 1

10030778_EAST

Page 2

10030778_EAST

Most Frequently Occurring Classifications of Patents Returned From A Search of 10030778 on May 03, 2004

```
Original Classifications
  4 267/220
  3 280/728.2
 3 301/37.374
 2 248/503
 2 248/68.1
 2 280/124.155
 2 280/124.169
 2 280/847
 2 280/86.753
 2 343/880
 2 410/106
 2 411/104
 2 411/431
Cross-Reference Classifications
 5 301/108.4
 3 29/525.02
 3
    72/704
 3 188/321.11
 3 267/33
 3 280/86.75
3 403/408.1
 3
    411/374
 2
     4/240
    24/289
 2
 2
    52/716.5
 2 211/182
 2 220/562
 2 224/42.24
 2 248/231.51
 2 248/237
 2 248/534
 2 248/536
 2 248/539
 2 248/68.1
 2 248/74.1
 2 267/293
 2 280/124.155
 2 280/154
 2 280/781
 2 280/833
 2 293/155
 2 296/204
 2 296/29
 2 296/39.1
 2 301/35.63
 2 403/104
 2 403/231
 2 403/27
   403/320
 2
 2 403/381
   403/391
 2
   403/4
```

2 410/110

```
411/104
  2
    411/112
  2
    411/173
  2
    411/182
  2
    411/354
  2
    411/377
  2
    411/437
  2
    411/542
  2
    411/910
  2
    411/970
  2 411/999
Combined Classifications
 5 267/220
 5 301/108.4
    29/525.02
 4 248/68.1
 4 280/124.155
 4 301/37.374
 4 411/104
 3
    72/704
 3 188/321.11
 3 267/33
 3 280/728.2
 3
   280/86.75
 3
    301/35.63
 3
    403/27
 3
    403/408.1
 3
    411/112
 3
    411/374
 3
    411/431
 2
     4/236
     4/240
 2
 2
     24/289
 2
     24/297
    52/716.5
 2
 2 211/182
 2 220/562
 2 224/42.24
 2 224/425
 2 248/231.51
 2 248/237
 2 248/503
 2 248/514
 2 248/534
 2 248/536
 2 248/539
 2 248/74.1
 2 267/293
 2 280/124.169
 2 280/154
 2 280/416.1
 2
    280/781
 2
    280/833
 2
    280/847
 2
    280/86.753
 2
    280/93.512
 2
    293/102
    293/120
```

10030778_CLS

2 293/155 2 296/204 2 296/29 2 296/39.1 2 301/37.375 2 343/880 2 362/528 2 403/104 2 403/231 2 403/381 2 403/381 2 403/381 2 403/381 2 403/391 2 403/4 2 410/106 2 410/110 2 411/173 2 411/182 2 411/354 2 411/377 2 411/432 2 411/437 2 411/55 2 411/55 2 411/910 2 411/970 2 411/999 2 428/31

in

10030778 CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned From A Search of 10030778 on May 03, 2004

```
5 267/220
                 (4 OR, 1 XR)
        Class
                267 : SPRING DEVICES
        267/2
                      VEHICLE
        267/195
                      .Mechanical spring and nonresilient retarder
                            (e.g., shock absorber)
        267/217
                      ..Fluid retarder
        267/219
                      ...Elastomeric spring
        267/220
                      .... Mounted at end of retarder
  301/108.4
                (0 OR, 5 XR)
        Class 301 : LAND VEHICLES: WHEELS AND AXLES
        301/5.1
                     WHEEL
        301/105.1
                     . Hub
        301/108.1
                     ..Hub cap
        301/108.4
                     ...Retained by threaded means
    29/525.02
                (1 OR, 3 XR)
        Class
               029 : METAL WORKING
        29/592
                     METHOD OF MECHANICAL MANUFACTURE
        29/428
                     .Assembling or joining
        29/525.01
                     .. By applying separate fastener
        29/525.02
                     ...Multipart cooperating fastener (e.g., bolt
                         and nut)
  248/68.1
                (2 OR, 2 XR)
               248 : SUPPORTS
        Class
        248/49
                     PIPE OR CABLE
        248/65
                     .Brackets
        248/68.1
                     ..Plural pipe or cable
  280/124.155
               (2 OR, 2 XR)
        Class
               280 : LAND VEHICLES
        280/29
                     WHEELED
       280/80.1
                    .Running gear
       280/124.1
                     ..Suspension arrangement
       280/124.125
                     ...Wheel separately supported upon individual
                          stub axle (e.g., skein, spindle)
        280/124.154
                      ....Vertically extending telescopic strut
       280/124.155
                      .....Upper strut mount detail
  301/37.374
                (3 OR, 1 XR)
       Class
               301 : LAND VEHICLES: WHEELS AND AXLES
        301/5.1
                     WHEEL
        301/37.101
                     .With wheel cover
       301/37.109
                    .. Having display means
       301/37.38
                     ...Central thread
       301/37.374
                     ....Lug nut cover
                (2 OR, 2 XR)
4 411/104
       Class
               411 : EXPANDED, THREADED, DRIVEN, HEADED,
                       TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
       411/82.5
                     TEMPERATURE SENSITIVE OR RESPONSIVE
       411/103
                      .Member preassembled with substructure at
                         through-passage or recess for holding single bolt or nut
```

10030778 CLSTITLES coaxial relation therewith

411/104 .. Through-passage or recess having laterally extending entry for inserting member and nut

72/704 (0 OR, 3 XR)

Class 072 : METAL DEFORMING

72/704 CAMBER-ADJUSTING TOOL

(0 OR, 3 XR) 188 : BRAKES 188/321.11 Class

188/266

INTERNAL-RESISTANCE MOTION RETARDER 188/321.11 .Including means connecting thrust member to

load

3 267/33 (0 OR, 3 XR)

267 : SPRING DEVICES Class

267/2 VEHICLE 267/259 .Compound

267/33 .. Coil and rubber type

280/728.2 (3 OR, 0 XR)

280 : LAND VEHICLES Class

280/29 WHEELED 280/727 .Attachment

280/728.1 .. Inflatable passenger restraint or confinement

(e.g., air bag) or attachment

280/728.2 ...With specific mounting feature

280/86.75 (0 OR, 3 XR)

Class 280 : LAND VEHICLES

280/29 WHEELED

280/80.1 .Running gear

280/86.75 ..Alignment adjustment

301/35.63 (1 OR, 2 XR)

Class 301 : LAND VEHICLES: WHEELS AND AXLES

301/5.1 WHEEL

301/9.1 .Detachable wheel section

..Disc wheel bolted to hub 301/35.621

301/35.63

3 403/27 (1 OR, 2 XR)

Class 403 : JOINTS AND CONNECTIONS

403/27 WITH INDICATOR OR INSPECTION MEANS

3 403/408.1 (0 OR, 3 XR)

403 : JOINTS AND CONNECTIONS

403/408.1 HAVING A JOINING PIECE EXTENDING THROUGH

ALIGNED OPENINGS IN PLURAL MEMBERS

3 411/112 (1 OR, 2 XR)

411 : EXPANDED, THREADED, DRIVEN, HEADED,

TOOL-DEFORMED, OR LOCKED-THREADED FASTENER

411/82.5 TEMPERATURE SENSITIVE OR RESPONSIVE

411/103 .Member preassembled with substructure at

through-passage or recess for holding single bolt or nu

t in

coaxial relation therewith

411/111 .. Member includes elastically or plastically

10030778 CLSTITLES

deformable portion

411/112 ... Having elastically deformable portion for attaching member to substructure

411/374 (0 OR, 3 XR)

Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,

TOOL-DEFORMED, OR LOCKED-THREADED FASTENER

HEADED FASTENER ELEMENT WITH NUT, WASHER, 411/337 SECURING MEANS OR CAP

411/372.5 .Cap over the head

411/373 ..Attachable cap structure

411/374 ...By screw means

3 411/431 (2 OR, 1 XR)

411 : EXPANDED, THREADED, DRIVEN, HEADED, Class

TOOL-DEFORMED, OR LOCKED-THREADED FASTENER

411/427 INTERNALLY THREADED FASTENER ELEMENT, E.G.,

NUT, ETC.

.Having cap 411/429

411/431 .. Resiliently retained

2 4/236 (1 OR, 1 XR)

Class 004 : BATHS, CLOSETS, SINKS, AND SPITTOONS

4/234 SEAT AND LID

4/236 .Hinges

2 4/240 (0 OR, 2 XR)

Class 004 : BATHS, CLOSETS, SINKS, AND SPITTOONS

4/237 SEAT

4/240 .Hinges

2 24/289 (0 OR, 2 XR)

Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.

TRIM MOLDING FASTENER 24/289

2 24/297 (1 OR, 1 XR)

Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.

24/289 TRIM MOLDING FASTENER

24/297 .Plastic type

52/716.5 (0 OR, 2 XR)

Class 052 : STATIC STRUCTURES

52/716.1 IN SITU ATTACHED-TYPE CHANNEL OR TRIM STRIP

(E.G., EDGING)

52/716.5 .Vehicle trim

211/182 (0 OR, 2 XR)

211 : SUPPORTS: RACKS

211/182 OF PIPES OR BARS AND CONNECTORS

220/562 (0 OR, 2 XR)

Class 220 : RECEPTACLES

220/562 VEHICLE MOUNTABLE TANK

224/42.24 (0 OR, 2 XR)

Class 224/400 VEHICLE ATTACHED
224/42.12 .For rim, tire, or wheel
224/42.24 ..Wheel hub as let 224 : PACKAGE AND ARTICLE CARRIERS

..Wheel hub or hub opening engaging type

10030778_CLSTITLES

e - 5

```
2 224/425
                (1 OR, 1 XR)
        Class 224 : PACKAGE AND ARTICLE CARRIERS
                 VEHICLE ATTACHED
        224/400
        224/412
                    .Carrier attached cycle
        224/419
                     .. Means for mounting carrier to a particular
                         portion of the cycle
        224/425
                     ...Frame tube
2 248/231.51
               (0 OR, 2 XR)
        Class 248 : SUPPORTS
        248/200
                    BRACKETS
        248/205.1 .Specially mounted or attached ..Bracket classical ...
                     ..Bracket clamped to mount (i.e., single clamp)
        248/231.51
                    ...By pivoted jaw
2 248/237
                (0 OR, 2 XR)
        Class 248 : SUPPORTS
        248/200
                    BRACKETS
        248/205.1
                    .Specially mounted or attached
        248/237
                    ..Roof
2 248/503
               (2 OR, 0 XR)
        Class 248 : SUPPORTS
        248/500 HOLD-DOWN
        248/503
                    .Vehicle-mounted; for vehicle appurtenance
  248/514
               (1 OR, 1 XR)
        Class 248 : SUPPORTS
        248/511
                 STAFF TYPE
        248/514
                    .Angularly adjustable
2 248/534
               (0 OR, 2 XR)
        Class 248 : SUPPORTS
        248/511
                    STAFF TYPE
        248/534
                    .Bracket
               (0 OR, 2 XR)
248 : SUPPORTS
  248/536
       Class
        248/511
                    STAFF TYPE
       248/534
                    .Bracket
       248/536
                     .. For mounting upon surfaces of intersecting
                        planes
2 248/539
               (0 OR, 2 XR)
       Class
               248 : SUPPORTS
       248/511 STAFF TYPE
       248/534
                    .Bracket
       248/539
                    ..Vertical staff
2 248/74.1
               (0 OR, 2 XR)
       Class
               248 : SUPPORTS
       248/49
                   PIPE OR CABLE
       248/65
                   .Brackets
       248/74.1
                   ..With ring or clamp
2 267/293
               (0 OR, 2 XR)
               267 : SPRING DEVICES
       Class
```

```
10030778 CLSTITLES
        267/2
                       VEHICLE
         267/292
                       .Elastomeric
         267/293
                       .. Including central guide rod or tube through
                          spring
2 280/124.169 (2 OR, 0 XR)
                 280 : LAND VEHICLES
        Class
                     WHEELED
        280/29
        200/80.1 Running gear 280/124.1 ...Suspend
                      ..Suspension arrangement
        280/124.164 ...Mechanical spring element
        280/124.166 ....Torsion spring 280/124.169 .....Elastomeric material
  280/154
                  (0 OR, 2 XR)
        Class
                 280 : LAND VEHICLES
        280/29
                      WHEELED
        280/727
                       .Attachment
        280/847
                      ..Dust and mud guards
                      ...Body attached
        280/848
        280/154
                       ....Securing device
  280/416.1
                (1 OR, 1 XR)
        Class
                280 : LAND VEHICLES
        280/29
                      WHEELED
        280/400
                      .Articulated vehicle
        280/415.1
                      ..Convertible
        280/416.1
                      ...Convertible or interchangeable from one type
                          coupling to another
2 280/781
                 (0 OR, 2 XR)
        Class
                280 : LAND VEHICLES
        280/29
                      WHEELED
        280/80.1
                      .Running gear
        280/781
                      ..Specific vehicle frame
   280/833
                 (0 OR, 2 XR)
        Class
                280 : LAND VEHICLES
        280/830
                       TANK OR BOILER
        280/833
                      .Saddle type; vehicle frame straddling
2 280/847
                 (2 OR, 0 XR)
        Class
                280 : LAND VEHICLES
        280/29
                       WHEELED
        280/727
                      .Attachment
        280/847
                      ..Dust and mud guards
2 280/86.753
                (2 OR, 0 XR)
        Class 280 : LAND VEHICLES
        280/29
                      WHEELED
        280/80.1 .Running gear
280/86.75 ..Alignment adjustment
280/86.751 ...Camber or caster
        280/86.753 ....Shim (e.g., cam)
2 280/93.512
                 (1 OR, 1 XR)
        Class
                280 : LAND VEHICLES
        280/29
                      WHEELED
        280/80.1
```

.Running gear

```
10030778 CLSTITLES
         280/771
                        ..Occupant steered
         280/93.502
                        ...Linkaqe
         280/93.512
                        ....Kingpin, steering knuckle, steering arm, or
                           wheel carrier construction
2 293/102
         02 (1 OR, 1 XR)
Class 293 : VEHICLE FENDERS
         293/102
                       BUFFER OR BUMPER TYPE
2 293/120
        120 (1 OR, 1 XR)
Class 293 : VEHICLE FENDERS
         293/102 BUFFER OR BUMPER TYPE
         293/120
                       .Composite bumper
  293/155
                 (0 OR, 2 XR)
         Class
                 293 : VEHICLE FENDERS
         293/102
                      BUFFER OR BUMPER TYPE
         293/155
                       .Joints and connections
2 296/204
                 (0 OR, 2 XR)
        Class 296 : LAND VEHICLES: BODIES AND TOPS
         296/1.01
                       BODIES
        296/187.01 .Structural detail
296/203.01 ..Body frame
296/204 ...Under frame
2 296/29
                 (0 OR, 2 XR)
        Class 296: LAND VEHICLES: BODIES AND TOPS
        296/1.01 BODIES
         296/187.01
                      .Structural detail
        296/29
                      ..Corners and joints
2 296/39.1
                 (0 OR, 2 XR)
        Class 296 : LAND VEHICLES: BODIES AND TOPS
        296/1.01
                       BODIES
        296/39.1
                       .Lining
        37.375 (1 OR, 1 XR)
Class 301: LAND VEHICLES: WHEELS AND AXLES
2 301/37.375
        301/5.1
                       \mathtt{WHEEL}
        301/37.101 .With wheel cover
301/37.109 ...Having display means
301/37.38 ...Central thread
301/37.374 ....Lug nut cover
                       ....Lug nut cover
                     .....Nut cover retains wheel cover
        301/37.375
2 343/880
                 (2 OR, 0 XR)
                 343 : COMMUNICATIONS: RADIO WAVE ANTENNAS
        Class
        343/700R
                       ANTENNAS
        343/878
                       .With support for antenna, reflector or
                            director
        343/880
                       .. Adjustable or collapsible support
2 362/528
                  (1 OR, 1 XR)
        Class
                 362 : ILLUMINATION
        362/510 ...Including selected wavelength modifier
        362/523
                     .Adjustable lamp or lamp support
```

.. Having ball and socket mechanism

362/528

10030778 CLSTITLES 403/104 (0 OR, 2 XR) Class 403 : JOINTS AND CONNECTIONS 403/52 403/83 ARTICULATED MEMBERS .Lockable at fixed position 403/104 ..Plural distinct positions 2 403/231 (0 OR, 2 XR) 403 : JOINTS AND CONNECTIONS Class 403/230 ROD END TO TRANSVERSE SIDE OF MEMBER 403/231 .Corner joint 2 403/320 (0 OR, 2 XR) Class 403 : JOINTS AND CONNECTIONS 403/315 INCLUDING ANCILLARY MEANS BLOCKING DISCONNECTION OF JOINT 403/320 .Cam or thread lock 2 403/381 (0 OR, 2 XR) Class 403 : JOINTS AND CONNECTIONS 403/345 INTERFITTED MEMBERS 403/381 .Enlarged head in complementary recess, e.g., dovetail, etc. 2 403/388 (1 OR, 1 XR) Class 403 : JOINTS AND CONNECTIONS 403/384 ROD SIDE TO PLATE OR SIDE 403/388 .Traversed by connector 2 403/391 (0 OR, 2 XR) Class 403 : JOINTS AND CONNECTIONS 403/384 ROD SIDE TO PLATE OR SIDE 403/389 .Laterally spaced rods 403/391 ..Plural channels in connector 2 403/4 (0 OR, 2 XR) Class 403 : JOINTS AND CONNECTIONS 403/3 SELECTIVELY ASSEMBLED, E.G., CONVERTIBLE, ETC. 403/4 .Selective orientation 2 410/106 (2 OR, 0 XR) Class 410 : FREIGHT ACCOMMODATION ON FREIGHT CARRIER 410/96 LOAD LASHING RETAINER OR LOAD LASHING ADJUNCT 410/101 Anchor 410/106 .. Mounted on exposed and bordering structural member 2 410/110 (0 OR, 2 XR) Class 410 : FREIGHT ACCOMMODATION ON FREIGHT CARRIER 410/96 LOAD LASHING RETAINER OR LOAD LASHING ADJUNCT 410/101 .Anchor 410/106 .. Mounted on exposed and bordering structural

(C)

....Atop wall of open top freight carrier,

...In exposed array therealong

e.g., bulb-angle mounted

410/108

410/110

10030778 CLSTITLES

```
2 411/173
                 (0 OR, 2 XR)
        Class
                 411 : EXPANDED, THREADED, DRIVEN, HEADED,
                         TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
         411/82.5
                       TEMPERATURE SENSITIVE OR RESPONSIVE
         411/172
                       .Nut, and means to engage substructure on its
                           opposite faces for retaining nut at aperture therein,
                           formed as unitary component
        411/173
                       .. Means to engage extends through aperture
2 411/182
                  (0 OR, 2 XR)
                 411 : EXPANDED, THREADED, DRIVEN, HEADED,
        Class
                         TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
        411/82.5
                       TEMPERATURE SENSITIVE OR RESPONSIVE
        411/172
                       .Nut, and means to engage substructure on its
                             opposite faces for retaining nut at aperture therein,
                             formed as unitary component
        411/176
                       .. Fastener having a deformable portion or
                            deforms substructure (e.g., prong)
        411/177
                       ...Nut assembled to substructure utilizing
                          cooperating regions on both
        411/182
                       ....Nonmetallic nut, resiliently deformed
                         during assembly
2 411/354
                  (0 OR, 2 XR)
        Class
                411 : EXPANDED, THREADED, DRIVEN, HEADED,
                        TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
        411/337
                      HEADED FASTENER ELEMENT WITH NUT, WASHER,
                          SECURING MEANS OR CAP
        411/354
                       .Wedge-securing means
  411/377
                 (0 OR, 2 XR)
        Class
                411 : EXPANDED, THREADED, DRIVEN, HEADED,
                        TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
        411/337
                      HEADED FASTENER ELEMENT WITH NUT, WASHER,
                            SECURING MEANS OR CAP
        411/372.5
                      .Cap over the head
        411/373
                      ..Attachable cap structure
        411/377
                      ...Moldable
2 411/432
                 (1 OR, 1 XR)
        Class
                411 : EXPANDED, THREADED, DRIVEN, HEADED,
                        TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
        411/427
                      INTERNALLY THREADED FASTENER ELEMENT, E.G.,
                          NUT, ETC.
        411/432
                      .Multipart
2 411/437
                 (0 OR, 2 XR)
                411 : EXPANDED, THREADED, DRIVEN, HEADED,
                        TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
        411/427
                      INTERNALLY THREADED FASTENER ELEMENT, E.G.,
                           NUT, ETC.
        411/436
                      .Thread structure
        411/437
                      .. Interrupted
2 411/542
                 (0 OR, 2 XR)
                411 : EXPANDED, THREADED, DRIVEN, HEADED,
       Class
                        TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
       411/531
                      WASHER STRUCTURE
        411/542
                      .Sealing
```

10030778_CLSTITLES

2		OR, 1 XR) : EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER HAVING SEPARATE EXPANDER MEANS .Including sleeve and distinct tapered expander (e.g., anchor bolt type)Expander threadedly engaged by mover
2		OR, 1 XR)
		: EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
	411/82.5 411/84	TEMPERATURE SENSITIVE OR RESPONSIVE .Prefabricated assembly comprising strip or
	411/85	sheet member carrying plural, similar fastener Including element for holding fasteners against separation from member
2		OR, 2 XR)
		: EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
	411/910	ANTITAMPER MEANS
2	411/970 (0 Class 411	
		: EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
	411/955 411/965	LOCKED BOLTHEAD OR NUT .With retainer
	411/970	Resilient retainer
2		OR, 2 XR)
		: EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
	411/999	WITH RETAINER (E.G., TETHER)
2		OR, 1 XR) : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
	428/31	VEHICLE BODY ORNAMENT